

Double Clamp  
TH496-DC114

Dpuble Clamp to suit 1-1/4" Coaxial Cable.  
Sold in Kits of 10



Dimensions

Nominal Size	1-1/4"
Maximum Cable Diameter	40.13 mm   1.58 in
Minimum Cable Diameter	38.10 mm   1.50 in
Height	50.80 mm   2 in
Length	107.95 mm   4.25 in
Width	41.27 mm   1.625 in

General Specifications

Hanger Type	Double Block
Cable Per Hanger	2
Color	Black
Material Type	Engineered Plastic
Certification / Compliance	ISO 9001: 2008 / TL9000-V R5.0/R4.5
Maximum Stack Height	3

Packaging

Package Quantity	10 pcs
------------------	--------

When installed properly, this product meets the requirements for installation in High Risk PIM Zones. Static and dynamic testing was conducted per IEC 46/666 "Passive RF and Microwave Devices, Intermodulation Level Measurement", "Part 8: Measurement of passive intermodulation generated by objects exposed to RF radiation" and IEC 62037-1.

## TH Series Double Clamps

This general installation instruction applies to all Rosenberg TH series Double Clamps.



## Typical Application


**Material List:** Each kit includes 10 sets of Double Clamp Support Blocks

**Required Tools:** (2) 9/16" Wrenches

Recommended Torque: 10 ft-lbs | 14 Nm

Maximum Torque: 20 ft-lbs | 27 Nm

**\*\*Maximum Stack Height: 3**



Part #	Description	QTY
TH494-DC12	Double Clamp to suit 1/2" Corrugated Cable	10
TH495-DC78	Double Clamp to suit 7/8" Corrugated Cable	10
TH496-DC114	Double Clamp to suit 1-1/4" Corrugated Cable	10
TH497-DC158	Double Clamp to suit 1-5/8" Corrugated Cable	10
TH498-DC214	Double Clamp to suit 2-1/4" Corrugated Cable	10
TH499-DC38	Double Clamp to suit 3/8" Corrugated Cable	10



When installed properly, this product meets the requirements for installation in High Risk PIM Zones. Static and dynamic testing was conducted per IEC 46/666 "Passive RF and Microwave Devices, Intermodulation Level Measurement", "Part 8: Measurement of passive intermodulation generated by objects exposed to RF radiation" and IEC 62037-1.

### Corporate Headquarters

Rosenberger Hochfrequenztechnik GmbH & Co. KG  
P.O. Box 1260 D-84526 Tittmoning Germany

### Rosenberger Site Solutions, LLC

102 Dupont Dr.  
Lake Charles, LA 70607

Phone: (337)598-5250

Fax: (337) 598-5290

Web: [www.RosenbergerOnline.us](http://www.RosenbergerOnline.us)

Version 112718

Page 1 of 1